DESIGN REVIEW BOARD Monday, August 24, 2020 7:30 p.m.

Virtual Meeting using Zoom

Meeting ID: 845-1987-6965 (Instructions for accessing below)

To view and participate in this virtual meeting on your phone, download the "Zoom Cloud Meetings" app in any app store or at www.zoom.us. At the above date and time, click on "Join a Meeting" and enter the following Meeting ID: 845-1987-6965 Link: https://us02web.zoom.us/j/84519876965

To view and participate in this virtual meeting on your computer, at the above date and time, go to www.zoom.us click "Join a Meeting" and enter the following ID: 845-1987-6965

APPLICANTS:

(Items for which a specific time has not been assigned may be taken out of order.)

- 1. Mike Caggiano, (Plymouth Signs) applying for signage and new awning at Gibson Sotheby's International Realty, 936 Great Plain Avenue.
- 2. Anna Haluch, ProSign Graphics representing US Storage Centers Self Storage and applying for signage at 540 Hillside Avenue.
- 3. Anna Haluch, ProSign Graphics informal discussion of additional signage for US Storage Centers Self Storage at 540 Hillside Avenue.

Review Minutes of 8/10/2020 Meeting.

Next Public Meeting - September 14, 2020 at 7:30pm via Zoom Webinar

of Need

NAVY BLUK BACKGROWS

TOWN OF NEEDHAM

DESIGN REVIEW BOARD

Public Service Administration Building 500 Dedham Avenue Needham, MA 02492 **Application and Report**

INDIVIOUS (UT lettes

Location: 936 GREAT PLAIN DUE Date: 8 12 20
Owner: FIRST CAMBRIDGE REALLY Group-StuarT Rothman
Owner: First CAMBRIDGE Realty Group-Stuart Rothman Address: 907 MASSACHUSETT AVE, CAMBRIDGE, MA 02139 Street City State Zip
Telephone: 617-547-6559
Applicant: 6, bson Sothebys International Realty
Address: 556 TREMONT ST BOSTON, MA O2118 Street City State Zip
Telephone: 857-362-1805
Designer/Installer: Plymouth Sign CO, INC
Address: 630LDMAINST, SO YARMOUTH MA 02664
Street City State Zip
Telephone: 508-398-2721
Type of Application Sign Minor Project Exterior Alterations Major Project - preliminary - final
☐ Flexible Subdivision ☐ Planned Residential Development ☐ Residential Compound
Brief description of sign or project: MANGING BENOIT MIZNER SIMON
11 1014 to Gibson Sothers 557A

19" X 88" 11.61 SQUARE FEET





EXISTING

PROPOSED

TO REMOVE EXISTING SET OF LETTERS (11.61 SQFT) REPLACE WITH NEW SET OF CUT OUT INDIVIDUAL LETTERS (5.57 SQFT) RECOVER GREEN AWNING WITH BLUE CANVAS

Plymouth	Sig	n Co.,

63 OLD MAIN ST. S. YARMOUTH, MA. 02664 (508) 398-2721 (508) 760-3130 Fax

e-mail; plysigncom@capecod.net

CUSTOMER

DATE:

LOCATION:

REVISIONS:



PERMIT No.

MATERIALS GIBSON_SOTHEBY_NEEDHAM_BUILDING_SKT DRAWN BY JSP

APPROVED BY P. O./

SCALE

A Contract

TOWN OF NEEDHAM

DESIGN REVIEW BOARD

Public Service Administration Building 500 Dedham Avenue Needham, MA 02492 Application and Report


Location: 936 GREAT PLAIN AVE Date: 8/12/20
Owner: First CAMBRIDGE Realty Group-Stuart Rothm
Owner: First CAMBRIDGE REALLY Group-Stuart Rothm. Address: 907 MASSACHUSETT AVE, CAMBRIDGE MA 02130 Street City State Zip
Telephone: 617-547-6559
Applicant: 6,650N Sothebys International Realty
Address: 556 TREMONT ST BOSTON, MA OQIIE Street City State Zip
Telephone: 857-362-1805
Designer/Installer: Plymouth Sign CO, Inc :
Address: 630LOMAINST SO YARMOUTH NA 02664 Street City State Zip
Street City State Zip
Telephone: 505-398-2721
Type of Application Sign ANN Major Project Exterior Alterations Major Project - preliminary - final Flexible Subdivision Planned Residential Development Residential Compound

Brief description of sign or project:

TO Recover existing Awning with NAUY BLUE TO MATCH SIGN.








PROPOSED

150.375" X 21.5"

Recovering Existing Awning With Navy Blue To Match Sign :Measurments 24" Projecting by 150" Length

Plymouth Sign	Co. , 63	OLD MAIN ST. S. YARMOUT 508) 398–2721 (508) 760 e-mail; plysigncom@cap	0-3130 Fax
CUSTOMER	April 10 miles and a second	PERMIT No.	DRAWN BY JSP
DATE:		MATERIALS	APPROVED BY
LOCATION:		GIBSON_SOTHEBY_NEEDHAM_BUIDLING_SKT	P. O./
REVISIONS:	The second secon	0105011_00111E01_11E01111111_0015E1110_5111	SCALE
This is an orginal unpublished drawing created by Plymouth Sign Company Inc. It is submitted to	for your personal use in connection with	h the project being planned for by Plymouth Sidn Company Inc.	It is not to be shown to anyone

This is an orginal unpublished drawing, created by Plymouth Sign Company, Inc. It is submitted for your personal use in connection with the project being planned for by Plymouth Sign Company, Inc. It is not to be shown to anyone outside your organization, nor is it to be used, reproduced, copied or exhibited in any fashion whatsoever. All or any parts of this design (excepting registered trademarks) remain property of Plymouth Sign Company, Inc. Charge for design without permission of Plymouth Sign Company, Inc. is \$500.00.



Plymouth Sign Co.,

63 OLD MAIN ST. S. YARMOUTH, MA. 02664 (508) 398-2721 (508) 760-3130 Fax

e-mail; plysigncom@capecod.net

CUSTOMER

DATE:

LOCATION:

REVISIONS:



PERMIT No.
MATERIALS
GIBSON_SOTHEBY_NEEDHAM_IMAGE2

DRAWN BY JSP
APPROVED BY
P. O./
SCALE

This is an orginal unpublished drawing, created by Plymouth Sign Company, Inc. It is submitted for your personal use in connection with the project being planned for by Plymouth Sign Company, Inc. It is not to be shown to anyone outside your organization, nor is it to be used, reproduced, copied or exhibited in any fashion whatsoever. All or any parts of this design (excepting registered trademarks) remain property of Plymouth Sign Company, Inc. Charge for design without permission of Plymouth Sign Company, Inc. is \$500.00.




TOWN OF NEEDHAM

DESIGN REVIEW BOARD

Public Service Administration Building 500 Dedham Avenue Needham, MA 02492 **Application and Report**

29 SOUTH ST 29 SOUTH ST 29 SOUTH ST 208-944-6499 20 Belmont St 20 20 Sign Service 20 Forge River Parkway	BOSTON City South Easton City	MA State MA State	02127 Zip 02375 Zip
nna Haluch Belmont St eet 8-944-6499 Pro Sign Service	City South Easton	State MA	Zip 02375
Belmont St 8-944-6499 aller: Pro Sign Service	South Easton		02375
Belmont St 8-944-6499 aller: Pro Sign Service	<u> </u>		
8-944-6499 aller: Pro Sign Service	<u> </u>		
8-944-6499 aller: Pro Sign Service	City	State	Zip
nller: Pro Sign Service			
0 Forge River Parkway			
or orger tiver rankway	Raynham	MA	02767
eet	City	State	Zip
8-944-6499			
n of sign or project:			
one (1) 3' x 10' internally illuminated	l monument sign (30	sq.ft)	
	Type of Application Sign Minor Project Exterior Alterations Major Project preliminary final Flexible Subdivision Planned Residential D Residential Compound	Type of Application Sign Minor Project Exterior Alterations Major Project preliminary final Flexible Subdivision Planned Residential Development Residential Compound Project Residential Compound Project Project Planned Residential Development Residential Compound Project:	Type of Application Sign Minor Project Exterior Alterations Major Project - preliminary - final Flexible Subdivision Planned Residential Development Residential Compound





3080 E 29TH ST LONG BEACH, CA 90806 562 595 7725

CA LIC. C45 994192

Visit us at:

Job Name:

US Storage Centers

Address:

540 Hillside Ave Needham, MA 02494

Sales Rep:

Neil McNaught

E-mail:

NeilM@tntelectricsign.com

Designer: John Nauta

Design Number: 20-03-4291-R06

Scale: As Noted

Original Date: 03/24/20

Revisions:

R1: Jn 3/27/20 plex face monument R2: Jn 3/30/20 no divider bar, outline R3: Jn 6/11/20 correct sq. footage R4: Jn 7/27/20 update map, etc. R5: Jn 8/4/20 add directional, etc. R6: Jn 8/5/20 change to halo

This is an original unpublished drawing created by TNT Electric Sign Co. It is submitted for your approval. It is not to be shown to anyone outside of your organization, nor is it to be reproduced, copied or exhibited in any fashion. The changing of colors, sizes, materials or illumination method does not alter the design. Ownership of this design is held by TNT Electric Sign Co. Authorization to use this design in any fashion must be obtained in writing from TNT Electric Sign Co.

© TNT Electric Sign Co. 2020 Note: The colors depicted here are a graphic representation. Actual colors may

vary. See color specifications.

Page: 2 of 10



Sign Elevation Layout

Square Footage: 30.00 Qty: One (1) Required Scale: ½" = 1'-0"

Manufacture and install double face illuminated monument sign

Cabinet: **Aluminum painted Cobalt Blue** Faces: White acrylic with vinyl overlay

Colors: 3M # 3630-157 Cobalt Blue

3M # 3630-33 Red 3M # 3630-015 Yellow 3M # 3630-22 Black 3M # 3630-61 Slate Gray


White weeded out to show white acrylic

1'-2" aluminum painted Cobalt Blue Returns:

White LEDs / self-contained power supplies Illumination: 2" aluminum painted red to match 3M # 3630-33 Red Reveal:

Aluminum painted Cobalt Blule Base:

Opposite view is identical Note:



Side View Scale: ½" = 1'-0"

3080 E 29TH ST LONG BEACH, CA 90806 562 595 7725

CA LIC. C45 994192

tntelectricsign.com

Job Name:

US Storage Centers

Address:

540 Hillside Ave Needham, MA 02494

Sales Rep:

Neil McNaught

E-mail:

NeilM@tntelectricsign.com

Designer: John Nauta

Design Number: 20-03-4291-R06

Scale: As Noted

Original Date: 03/24/20

Revisions:

R1: Jn 3/27/20 plex face monument R2: Jn 3/30/20 no divider bar, outlin R3: Jn 6/11/20 correct sq. footage R4: Jn 7/27/20 update map, etc. R5: Jn 8/4/20 add directional, etc. R6: Jn 8/5/20 change to halo

This is an original unpublished drawing created by TNT Electric Sign Co. It is submitted for your approval. It is not to be shown to anyone outside of your organization, nor is it to be reproduced, copied or exhibited in any fashion. The changing of colors, sizes, materials or illumination method does not alter the design. Owagraphy of this design is held by

9 of 10 Page:


i Neco

TOWN OF NEEDHAM

DESIGN REVIEW BOARD

Public Service Administration Building 500 Dedham Avenue Needham, MA 02492 **Application and Report**

Location:	540 Hillside Ave	Date:	08/13/20	
Owner:	540 HILLSIDE AVENUE LLC C/O	SSG HILLSIDE NE	EDHAM LLC	<u> </u>
Address:	129 SOUTH ST Street	BOSTON City	MA State	02127 Zip
Telephone:	508-944-6499			
Applicant:	Anna Haluch			
Address:	65 Belmont St	South Easton	MA	02375
	Street	City	State	Zip
Telephone:	. 508-944-6499			
Designer/I	nstaller: Pro Sign Service			
Address:	110 Forge River Parkway	Raynham	MA	02767
	Street	City	State	Zip
Telephone:	508-944-6499			
	Type of Application Sign Minor Project Exterior Alterations Major Project - preliminary - final Flexible Subdivision Planned Residential D Residential Compount	d		
Installation	n of one (1) 3'-11 3/8" x 19'-9 1/8" front	lit channel letter set o	on the front el	evation. (77.85 sq





3080 E 29TH ST LONG BEACH, CA 90806 562 595 7725

CA LIC. C45 994192

Visit us at:

Job Name:

US Storage Centers

Address:

540 Hillside Ave Needham, MA 02494

Sales Rep:

Neil McNaught

E-mail:

NeilM@tntelectricsign.com

Designer: John Nauta

Design Number: 20-03-4291-R06

Scale: As Noted

Original Date: 03/24/20

Revisions:


R1: Jn 3/27/20 plex face monument R2: Jn 3/30/20 no divider bar, outline R3: Jn 6/11/20 correct sq. footage R4: Jn 7/27/20 update map, etc. R5: Jn 8/4/20 add directional, etc. R6: Jn 8/5/20 change to halo

This is an original unpublished drawing created by TNT Electric Sign Co. It is submitted for your approval. It is not to be shown to anyone outside of your organization, nor is it to be reproduced, copied or exhibited in any fashion. The changing of colors, sizes, materials or illumination method does not alter the design. Ownership of this design is held by TNT Electric Sign Co. Authorization to use this design in any fashion must be obtained in writing from TNT Electric Sign Co.


© TNT Electric Sign Co. 2020 Note: The colors depicted here are a graphic representation. Actual colors may

vary. See color specifications.

Page: 2 of 10



West Elevation Scale: 1" = 25'-0"



Option 2

West Elevation

Scale: 1" = 25'-0"

COMPANY 6

3080 E 29TH ST LONG BEACH, CA 90806 562 595 7725

CA LIC. C45 994192

tntelectricsign.com

Job Name:

US Storage Centers

Address:

540 Hillside Ave Needham, MA 02494

Sales Rep:

Neil McNaught

E-mail:

NeilM@tntelectricsign.com

Designer: John Nauta

Design Number: 20-03-4291-R06

Scale: As Noted

Original Date: 03/24/20

Revisions:


R1: Jn 3/27/20 plex face monument R2: Jn 3/30/20 no divider bar, outline R3: Jn 6/11/20 correct sq. footage R4: Jn 7/27/20 update map, etc. R5: Jn 8/4/20 add directional, etc. R6: Jn 8/5/20 change to halo

This is an original unpublished drawing created by TNT Electric Sign Co. It is submitted for your approval. It is not to be shown to anyone outside of your organization, nor is it to be reproduced, copied or exhibited in any fashion. The changing of colors, sizes, materials or illumination method does not alter the design. Ownership of this design is held by TNT Electric Sign Co. Authorization to use this design in any fashion must be obtained in writing from TNT Electric Sign Co.


©TNT Electric Sign Co. 2020

Note: The colors depicted here are a graphic representation. Actual colors may vary. See color specifications.

Page: 3 of 10



West Elevation Scale: 1" = 25'-0"



South Elevation

Scale: 1" = 25'-0"

SIGN E

3080 E 29TH ST LONG BEACH, CA 90806 562 595 7725

CA LIC. C45 994192

Visit us at: tntelectricsign.com

Job Name:

US Storage Centers

Address:

540 Hillside Ave Needham, MA 02494

Sales Rep:

Neil McNaught

E-mail:

NeilM@tntelectricsign.com

Designer: John Nauta

Design Number: 20-03-4291-R06

Scale: As Noted

Original Date: 03/24/20

Revisions:

R1: Jn 3/27/20 plex face monument R2: Jn 3/30/20 no divider bar, outline R3: Jn 6/11/20 correct sq. footage R4: Jn 7/27/20 update map, etc. R5: Jn 8/4/20 add directional, etc. R6: Jn 8/5/20 change to halo

This is an original unpublished drawing created by TNT Electric Sign Co. It is submitted for your approval. It is not to be shown to anyone outside of your organization, nor is it to be reproduced, copied or exhibited in any fashion. The changing of colors, sizes, materials or illumination method does not after the design. Ownership of this design is held by TNT Electric Sign Co. Authorization to use this design in any fashion must be obtained in writing from TNT Electric Sign Co.

©TNT Electric Sign Co. 2020

Note: The colors depicted here are a graphic representation. Actual colors may vary. See color specifications.

Page: 4 of 10



Sign Elevation Layout Qty: One (1) Required Square Footage: 30.36

Scale: 1/2" = 1'-0"

Manufacture and install halo illuminated channel letters

Letters: Halo illuminated letters painted red (Storage) and black (All others)

Faces: Painted aluminum red (Storage) and black (All others) with vinyl overlay

Colors: 3M # 3630-157 Cobalt Blue

3M # 3630-33 Red 3M # 3630-015 Yellow

3M # 3630-222 Perforated Black

3M # 3630-22 Black 3M # 7725-10 White


Backs: 1" mill finish silver

Returns: 3" painted red (Storage) and black (All others)

White LEDs / remote power supplies **Illumination:**

Reg Mark: 1/4" acrylic painted black with white vinyl overlay

Note:



Wall surface **Aluminum returns** Power supply Aluminum faces enclosure box # 10 screws with nylon anchors (Min. 3-5 per letter) or as required per field condtions Power supply Secondary class 2 Spacers low voltage wire Low voltage wire Grounding wire from LED to LED secured to grounding screw **Light Emitting Diods (LED)** 120-277VAC disconnect switch Drilled hole and filled with silicone to prevent water penetration Flex conduit Grounding wire / screw attached to alum. letter return Clear polycarbonate backs 120-277VAC J-box Secondary class 2 low voltage wires 1111 (no conduit required) Polycarbonate backs riveted to clips and screwed to letter returns 1/4" weep holes

Wall framing

Typical Section detail

Scale: nts

120V

• Control for All Signs. All Signs with permanently connected lighting shall meet the requirements of Section 133. • Automatic Time Switch Control. All signs with permanently connected lighting shall be controlled with an automatic time switch control. All outdoor signs shall be controlled with a photocontrol or outdoor signs shall be controlled with a photocontrol or outdoor signs shall be controlled with a dimmer that provides the ability to automatically reduce sign power by a minimum of 65 percent during nighttime exempted from the 5 possible exceptions. See

Section 133(a)3. • Demand Responsive Electronic Message center Control (EMC), newly connected lighting power load greater than 15kW shall have a control installed that is capable of reducing the lighting power by a minimum of 30% when receiving a demand response signal that is sent out by the local utility. This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code and / or other applicable local codes. This includes proper grounding and bonding of the sign. All wall penetrations to be sealed with UL Listed silicone sealant. In the utilization of GFI Transformers and in accordance with NEC and UL Listed guidelines, it is required that primary circuits to each sign must have dedicated circuits with proper ground from main panel and must be bonded. Any equipment or lighting that is added / shared to the primary sign circuit will cause GFI transformers to trip off. Neutral to ground should not exceed 3 volts to prevent GFI from tripping.

COMPANY

3080 E 29TH ST LONG BEACH, CA 90806 562 595 7725

CA LIC. C45 994192

Job Name:

US Storage Centers

Address:

540 Hillside Ave Needham, MA 02494

Sales Rep:

Neil McNaught

E-mail:

NeilM@tntelectricsign.com

Designer: John Nauta

Design Number: 20-03-4291-R06

Scale: As Noted

Original Date: 03/24/20

Revisions:

R1: Jn 3/27/20 plex face monumen R2: Jn 3/30/20 no divider bar, outlir R3: Jn 6/11/20 correct sq. footage R4: Jn 7/27/20 update map, etc. R5: Jn 8/4/20 add directional, etc. R6: Jn 8/5/20 change to halo

This is an original unpublished drawing created by TNT Electric Sign Co. It is submitted for your approval. It is not to be shown to anyone outside of you organization, nor is it to be reproduced copied or exhibited in any fashion. Th changing of colors, sizes, materials of Ilumination method does not alter th design. Ownership of this design is held by TNT Electric Sign Co. Authorization to use this design in any fashion must be obtained in writing from TNT Electric Sign Co.

© TNT Electric Sign Co. 2020 Note: The colors depicted here are a ary. See color specifications.

ALL ELECTRICAL (VL)

COMPONENTS LISTED

Page:

5 of 10



Sign Elevation Layout Qty: One (1) Required Square Footage: 54.14

Scale: 3/8" = 1'-0"

Manufacture and install halo illuminated channel letters

Letters: Halo illuminated letters painted red (Storage) and black (All others) Faces:

Painted aluminum red (Storage) and black (All others) with vinyl overlay

Colors: 3M # 3630-157 Cobalt Blue

3M # 3630-33 Red 3M # 3630-015 Yellow

3M # 3630-222 Perforated Black

3M # 3630-22 Black 3M # 7725-10 White


Backs: 1" mill finish silver

Returns: 3" painted red (Storage) and black (All others)

Illumination: White LEDs / remote power supplies

Reg Mark: 1/4" acrylic painted black with white vinyl overlay

Note:



Wall surface **Aluminum returns** Power supply Aluminum faces enclosure box # 10 screws with nylon anchors (Min. 3-5 per letter) or as required per field condtions Power supply Secondary class 2 Spacers low voltage wire Low voltage wire Grounding wire from LED to LED secured to grounding screw **Light Emitting Diods (LED)** 120-277VAC disconnect switch Drilled hole and filled with silicone to prevent water penetration Flex conduit Grounding wire / screw attached to alum. letter return Clear polycarbonate backs 120-277VAC J-box Secondary class 2 low voltage wires 1111 (no conduit required) Polycarbonate backs riveted to clips and screwed to letter returns 1/4" weep holes

Wall framing

Typical Section detail

Scale: nts

120V

• Control for All Signs. All Signs with permanently connected lighting shall meet the requirements of Section 133. • Automatic Time Switch Control. All signs with permanently connected lighting shall be controlled with an automatic time switch control. All outdoor signs shall be controlled with a photocontrol or outdoor signs shall be controlled with a photocontrol or outdoor signs shall be controlled with a dimmer that provides the ability to automatically reduce sign power by a minimum of 65 percent during nighttime exempted from the 5 possible exceptions. See

Section 133(a)3. • Demand Responsive Electronic Message center Control (EMC), newly connected lighting power load greater than 15kW shall have a control installed that is capable of reducing the lighting power by a minimum of 30% when receiving a demand response signal that is sent out by the local utility. This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code and / or other applicable local codes. This includes proper grounding and bonding of the sign. All wall penetrations to be sealed with UL Listed silicone sealant. In the utilization of GFI Transformers and in accordance with NEC and UL Listed guidelines, it is required that primary circuits to each sign must have dedicated circuits with proper ground from main panel and must be bonded. Any equipment or lighting that is added / shared to the primary sign circuit will cause GFI transformers to trip off. Neutral to ground should not exceed 3 volts to prevent GFI from tripping.

COMPANY

3080 E 29TH ST LONG BEACH, CA 90806 562 595 7725

CA LIC. C45 994192

Job Name:

US Storage Centers

Address:

540 Hillside Ave Needham, MA 02494

Sales Rep:

Neil McNaught

E-mail:

NeilM@tntelectricsign.com

Designer: John Nauta

Design Number: 20-03-4291-R06

Scale: As Noted

Original Date: 03/24/20

Revisions:

R1: Jn 3/27/20 plex face monumen R2: Jn 3/30/20 no divider bar, outlir R3: Jn 6/11/20 correct sq. footage R4: Jn 7/27/20 update map, etc. R5: Jn 8/4/20 add directional, etc. R6: Jn 8/5/20 change to halo

This is an original unpublished drawing created by TNT Electric Sign Co. It is submitted for your approval. It is not to be shown to anyone outside of you organization, nor is it to be reproduced copied or exhibited in any fashion. Th hanging of colors, sizes, materials of lumination method does not alter th design. Ownership of this design is held b FNT Electric Sign Co. Authorization to us this design in any fashion must be obtained in writing from TNT Electric Sign Co.

© TNT Electric Sign Co. 2020 Note: The colors depicted here are a ary. See color specifications.

ALL ELECTRICAL (VL)

COMPONENTS LISTED

6 of 10 Page:



Sign Elevation Layout

Qty: One (1) Required

Scale: 3/8" = 1'-0"

Square Footage: 77.85

Manufacture and install halo illuminated channel letters

Letters: Halo illuminated letters painted red (Storage) and black (All others) Faces:

Painted aluminum red (Storage) and black (All others) with vinyl overlay **Colors: 3M # 3630-157 Cobalt Blue**

> 3M # 3630-33 Red 3M # 3630-015 Yellow

3M # 3630-222 Perforated Black

3M # 3630-22 Black 3M # 7725-10 White


Backs: 1" mill finish silver

Returns: 3" painted red (Storage) and black (All others)

White LEDs / remote power supplies **Illumination:**

Reg Mark: 1/4" acrylic painted black with white vinyl overlay

Note:



Wall surface **Aluminum returns** Power supply Aluminum faces enclosure box # 10 screws with nylon anchors (Min. 3-5 per letter) or as required per field condtions Power supply Secondary class 2 Spacers low voltage wire Low voltage wire Grounding wire from LED to LED secured to grounding screw **Light Emitting Diods (LED)** 120-277VAC disconnect switch Drilled hole and filled with silicone to prevent water penetration Flex conduit Grounding wire / screw attached to alum. letter return Clear polycarbonate backs 120-277VAC J-box Secondary class 2 low voltage wires 1111 (no conduit required) Polycarbonate backs riveted to clips and screwed to letter returns 1/4" weep holes

Wall framing

Typical Section detail

Scale: nts

120V

• Control for All Signs. All Signs with permanently connected lighting shall meet the requirements of Section 138. • Automatic Time Switch control. All signs with permanently connected lighting shall be controlled with an automatic time switch that complies with the applicable requirements of Section 1198. • Photocontrol or outdoor astronomical time switch control. All outdoor signs shall be controlled with a photocontrol or outdoor signs shall be controlled with a photocontrol or outdoor signs shall be controlled with a dimmer that provides the ability to automatically reduce sign power by a minimum of 65 percent during nighttime exempted from the 5 possible exceptions. See

Section 133(a)3. • Demand Responsive Electronic Message center Control (EMC), newly connected lighting power load greater than 15kW shall have a control installed that is capable of reducing the lighting power by a minimum of 30% when receiving a demand response signal that is sent out by the local utility. This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code and / or other applicable local codes. This includes proper grounding and bonding of the sign. All wall penetrations to be sealed with UL Listed silicone sealant. In the utilization of GFI Transformers and in accordance with NEC and UL Listed guidelines, it is required that primary circuits to each sign must have dedicated circuits with proper ground from main panel and must be bonded. Any equipment or lighting that is added / shared to the primary sign circuit will cause GFI transformers to trip off. Neutral to ground should not exceed 3 volts to prevent GFI from tripping.

COMPANY

3080 E 29TH ST LONG BEACH, CA 90806 562 595 7725

CA LIC. C45 994192

Job Name:

US Storage Centers

Address:

540 Hillside Ave Needham, MA 02494

Sales Rep:

Neil McNaught

E-mail:

NeilM@tntelectricsign.com

Designer: John Nauta

Design Number: 20-03-4291-R06

Scale: As Noted

Original Date: 03/24/20

Revisions:

R1: Jn 3/27/20 plex face monumer R2: Jn 3/30/20 no divider bar, outlir R3: Jn 6/11/20 correct sq. footage R4: Jn 7/27/20 update map, etc. R5: Jn 8/4/20 add directional, etc. R6: Jn 8/5/20 change to halo

This is an original unpublished drawing created by TNT Electric Sign Co. It is submitted for your approval. It is not to be shown to anyone outside of you organization, nor is it to be reproduced copied or exhibited in any fashion. Th hanging of colors, sizes, materials of lumination method does not alter th design. Ownership of this design is held b FNT Electric Sign Co. Authorization to us this design in any fashion must be obtained in writing from TNT Electric Sign Co.

© TNT Electric Sign Co. 2020 Note: The colors depicted here are a graphic representation. Actual colors may

ALL ELECTRICAL (VL)

COMPONENTS LISTED

ary. See color specifications.

7 of 10 Page:


i Necol

TOWN OF NEEDHAM

DESIGN REVIEW BOARD

Public Service Administration Building 500 Dedham Avenue Needham, MA 02492 **Application and Report**

Location:	540 Hillside Ave	Date:	08/13/20	
Owner:	540 HILLSIDE AVENUE LLC C/O S	SSG HILLSIDE NE	EDHAM LLC	<u> </u>
Address:	129 SOUTH ST Street	BOSTON City	MA State	02127 Zip
Telephone.	508-944-6499			
Applicant:	Anna Haluch			
Address:	65 Belmont St	South Easton	MA	02375
	Street	City	State	Zip
Telephone.	. 508-944-6499			
Designer/I	nstaller: Pro Sign Service			
Address:	110 Forge River Parkway	Raynham	MA	02767
	Street	City	State	Zip
Telephone.	508-944-6499			
	Type of Application Sign Minor Project Exterior Alterations Major Project - preliminary - final Flexible Subdivision Planned Residential D Residential Compound ption of sign or project: n of one (1) 2'-5 5/8" x 12'-4 1/8" non illu	1	on the side ele	evation. (30.36 sq
motanation	101 0110 (1) 2 -0 0/0 X 12 -4 1/0 11011 1110	minated acryllo set c	AT THE SIGE CIT	





3080 E 29TH ST LONG BEACH, CA 90806 562 595 7725

CA LIC. C45 994192

Visit us at:

Job Name:

US Storage Centers

Address:

540 Hillside Ave Needham, MA 02494

Sales Rep:

Neil McNaught

E-mail:

NeilM@tntelectricsign.com

Designer: John Nauta

Design Number: 20-03-4291-R06

Scale: As Noted

Original Date: 03/24/20

Revisions:


R1: Jn 3/27/20 plex face monument R2: Jn 3/30/20 no divider bar, outline R3: Jn 6/11/20 correct sq. footage R4: Jn 7/27/20 update map, etc. R5: Jn 8/4/20 add directional, etc. R6: Jn 8/5/20 change to halo

This is an original unpublished drawing created by TNT Electric Sign Co. It is submitted for your approval. It is not to be shown to anyone outside of your organization, nor is it to be reproduced, copied or exhibited in any fashion. The changing of colors, sizes, materials or illumination method does not alter the design. Ownership of this design is held by TNT Electric Sign Co. Authorization to use this design in any fashion must be obtained in writing from TNT Electric Sign Co.


© TNT Electric Sign Co. 2020

Note: The colors depicted here are a graphic representation. Actual colors may vary. See color specifications.

Page: 2 of 10



West Elevation Scale: 1" = 25'-0"



South Elevation

Scale: 1" = 25'-0"

SIGN R COMPANY O

3080 E 29TH ST LONG BEACH, CA 90806 562 595 7725

CA LIC. C45 994192

Visit us at: tntelectricsign.com

Job Name:

US Storage Centers

Address:

540 Hillside Ave Needham, MA 02494

Sales Rep:

Neil McNaught

E-mail:

NeilM@tntelectricsign.com

Designer: John Nauta

Design Number: 20-03-4291-R06

Scale: As Noted

Original Date: 03/24/20

Revisions:

R1: Jn 3/27/20 plex face monument R2: Jn 3/30/20 no divider bar, outline R3: Jn 6/11/20 correct sq. footage R4: Jn 7/27/20 update map, etc. R5: Jn 8/4/20 add directional, etc. R6: Jn 8/5/20 change to halo

This is an original unpublished drawing created by TNT Electric Sign Co. It is submitted for your approval. It is not to be shown to anyone outside of your organization, nor is it to be reproduced, copied or exhibited in any fashion. The changing of colors, sizes, materials or illumination method does not after the design. Ownership of this design is held by TNT Electric Sign Co. Authorization to use this design in any fashion must be obtained in writing from TNT Electric Sign Co.

©TNT Electric Sign Co. 2020

Note: The colors depicted here are a graphic representation. Actual colors may vary. See color specifications.

Page: 4 of 10



Sign Elevation Layout

Qty: One (1) Required

Scale: 1/2" = 1'-0"

Square Footage: 30.36

Manufacture and install non-illuminated flat cut out letters


Letters: ½" thick exterior rated expanded PVC painted to match vinyl

Colors: 3M # 3630-157 Cobalt Blue

3M # 3630-33 Red 3M # 3630-015 Yellow 3M # 3630-22 Black

Returns: ½" thick painted to match faces

Note:





3080 E 29TH ST LONG BEACH, CA 90806 562 595 7725

CA LIC C45 994192

Visit us at:

Job Name:

US Storage Centers

Address:

540 Hillside Ave Needham, MA 02494

Sales Rep:

Neil McNaught

E-mail:

NeilM@tntelectricsign.com

Designer: John Nauta

Design Number:

20-03-4291-R06

Scale: As Noted

Original Date: 03/24/20

Revisions:

R1: Jn 3/27/20 plex face monument R2: Jn 3/30/20 no divider bar, outlind R3: Jn 6/11/20 correct sq. footage R4: Jn 7/27/20 update map, etc. R5: Jn 8/4/20 add directional, etc. R6: Jn 8/5/20 change to halo

This is an original unpublished drawing created by TMT Electric Sign Co. It is submitted for your approval. It is not to be shown to anyone outside of your organization, nor is it to be reproduced, copied or exhibited in any fashion. The changing of colors, sizes, materials or illumination method does not alter the design. Ownership of this design is held by TMT Electric Sign Co. Authorization to use this design in any fashion must be obtained in writing from TMT Electric Sign Co.

© TNT Electric Sign Co. 2020

Note: The colors depicted here are a graphic representation. Actual colors may vary. See color specifications.

Page: 8 of 10



<u>Monday, August 10, 2020</u> 7:30 PM

Board Members:

Mark Gluesing, Chair (P)
Bob Dermody, Board Member (P)
Nelson Hammer, Board Member (P)
Chad Reilly, Board Member (P)
Deborah Robinson, Board Member (P)
Steve Tanner, Board Member (P)
Rana Mana-Doerfer, DRB Recording Secretary (P)
Elisa Litchman, Administrative Assistant, Planning & Community Development (P)

Applicants & Attendees:

- 1. CONTINUED: Walter Bonola (Doosan Fuel Cell America, Inc.) applying for fuel cell project at TripAdvisor, 400 First Avenue.
- 2. Matthew Mayerhofer, TripAdvisor.
- 3. Heather Dudko, National Sign Corp., representing Santander Bank located at 961-965 Great Plain Avenue applying for signage.
- 4. Cathy Nanda, Needham Cultural Council applying for art design wrap for utility box located at 140 Kendrick Street.

Mr. Chair called the meeting to order on August 10th, 2020 at 7:30 PM EST Mr. Chair notified attendees of new public meeting orders issued by the governor of Massachusetts.

Agenda Item 1:

CONTINUED: <u>TripAdvisor</u>, <u>400 First Avenue</u>. <u>applying for fuel cell project</u> - Walter Bonola (Doosan Fuel Cell America, Inc.)

Mr. Bonola came before the Board to continue his presentation to install a fuel cell on a platform above the loading dock doors at TripAdvisor, 400 First Ave. It will span the loading dock.

Mr. Bonola showed the Board an example of the material they plan to use for the screen that will be installed. A slatted mechanical screen similar to the existing rooftop screen will be used. It will be painted to match the adjacent metal panel siding on the building.

The stairs have had their orientation changed per the Board's recommendation at the previous meeting.

In the previous meeting there was a question regarding the cooling module and associated fencing. Mr. Bonola conducted a site visit and laid out some caution tape and stakes, he screenshared a photo depicting the proposed line of the fence.

The distance from the existing fence to where the stake is planted is 20 feet. They will be using a 20-foot portion of the existing fence and relocating it to the front elevation. The fence material is weathered cedar. The entire elevation will have the same look. The 20-foot fencing return to the building will be new.

Mr. Reilly asked what the finished material or paint that will be used for the steel, stairs and other new construction. Mr. Bonola said it will be a similar paint finish of the same color. Mr. Reilly suggested a stainless color for stair handrail, treads that will tolerate a bit more wear and tear.

Mr. Reilly asked about the piping on a front elevation that is running down to the ground, and where will all the piping come down. Mr. Bonola said all the piping will be on the back side of the columns and painted to match the background color, a dark gray.

Mr. Dermody asked about what appears to be an opening in the screen. Will there be a door made from the screen material, or will it remain open. Mr. Bonola said that yes, they can accommodate that request with a door/gate.

Ms. Robinson asked if the plantings will go behind the stair. Mr. Bonola said they will plant boxwoods and add to the existing row of boxwoods by the loading dock.

Matt Mayerhofer of TripAdvisor addressed the Board and noted the fence they see in the drawing does extend far enough to block the view of the fuel oil tank and the pumping system. It will not screen the transformers from the street view.

Motion to approve the project with conditions to install a gate that matches the screen panel made by Mr. Dermody.

Motion was seconded by Ms. Robinson.

Name	Aye Nay
Mark Gluesing	Aye
Bob Dermody	Aye
Nelson Hammer	Not Present (Connection Error)
Chad Reilly	Aye
Deborah Robinson	Aye
Steve Tanner	Aye

Agenda Item 2:

<u>Santander Bank located at 961-965 Great Plain Avenue applying for signage.</u> - Heather Dudko, National Sign Corp

Ms. Dudko presented the Board with new signage Santander Bank wants to install at their Great Plain Ave. location. There are 3 signs. On the main building sign, they would like to replace the halo lit black lettering on a white panel, with a red aluminum panel and white halo lit lettering. The logo and lettering are the same size as existing. The background is 32 sq. ft., and the lettering is 15 Sq. ft.

Santander Bank would also like to replace the two small plaques to the left and right of the doorway. They would like to increase the size from 3 sq. ft. to 4.5 sq. ft for each plaque. If that is deemed unacceptable by the Board Santander Bank will replace the plaques with new ones of the same size.

Mr. Tanner: The smaller signs are 3 sq. ft., what are the dimensions of 4 sq. ft. signs. Ms. Dudko explained that the current sign is 12" by 36" and the new signs would be 18" by 36", so they would be slightly taller. Mr. Tanner said he has no objections to the proposed signage.

Mr. Reilly spoke about his concerns regarding approving a big red sign, considering that the current white sign panel is hanging down over the lower trim. He would like to see a panel that fits in more neatly with the building and its architecture. Mr. Reilly asked to hear the opinions of the other Board members regarding how they feel about a big red sign hanging over the doorway. He believes the sign to be bold and oversized.

The Board discussed the background panel fit within the frieze panel of the building,

Ms. Robinson said she agrees with Mr. Reilly that the change to the red is overwhelming, and not fitting with the architecture. She wondered if scaling it down to fit between the columns at the center might just fit better, and get rid of some of that solid red. She believes the sign would like better if it is red lettering on a white background.

Mr. Dermody asked if it is possible to reduce the panel in height and width. He has no objections to the smaller signs.

Motion to approve with the following conditions:

- 1. The vertical height of the upper sign fit within the architectural frieze panel and does not cover any trim.
- 2. The letters' scale changes correspondingly.
- 3. The sign does not exceed the inner of the two columns, and that anything needing repairs behind the panel be repaired.
- 4. Santander Bank has the option of red letters on a white panel as long as the panel fits within the frieze panel.

The 2 lower sign panels are approved without conditions.

Motion to approve with the above conditions made by Mr. Dermody. Motion was seconded by Mr. Tanner.

Name	Aye Nay
Mark Gluesing	Aye
Bob Dermody	Aye
Nelson Hammer	Not Present (Connection Error)
Chad Reilly	Aye
Deborah Robinson	Aye
Steve Tanner	Aye

Please send the approved application to the Meetinghouse address in Auburn, MA.

Agenda Item 3:

Ms. Nanda the Chair of the Needham Cultural Council applied for an art design wrap of a utility box located at 140 Kendrick Street

It is a vinyl art wrap, currently there is no date yet for the installation.

Ms. Robinson asked if the art wrap cover all four sides. Ms. Nanda said that the design presented is a front and rear piece. And the 2 sides will be covered by a cut down portion of the design.

Mr. Dermody asked if the orientation of the wrap shown is the same for the actual installation, and what is life span of this artwork. Ms. Nanda said that yes, theorientation shown is how it will be installed, and the vinyl wrap is supposed to last about 10 years.

Mr. Tanner asked if the vinyl wrap will have a laminate on top. Ms. Nanda said it is built in and has UV protection so that the utility box does not overheat.

Mr. Reilly indicated he would be comfortable with a discrete signature for the artist but no major advertising to be installed on the utility box. There is a small artist and sponsor identifying panel placed on the box but no advertising. That panel image was included in the application.

Motion to approve the vinyl art wrap without conditions was moved by Mr. Dermody.Motion was seconded by Mr. Reilly.

Name	Aye Nay
Mark Gluesing	Aye
Bob Dermody	Aye
Nelson Hammer	Not Present (Connection Error)
Chad Reilly	Aye
Deborah Robinson	Aye
Steve Tanner	Aye

Approval of Minutes:

Mr. Gluesing asked that one specific paragraph be modified of the meeting minutes of July 27th, 2020.

On Page 3 under item A3:

Sign A3 will replace the existing PTC logo on the monument sign at the entrance with the IDG logo. The existing sign is 4 ft 7 inches in length and 1 ft 9 inches in height, total of 8 square feet in area. The proposed logo will be 3 ft 10 inches in length, 1 ft 10 inches in height, total of 7 square feet in area. A panel will be placed over the existing sign and vinyl film will be applied to the panel.

Motion to approve the modification to the meeting minutes of July 27th, 2020 by Mr. Tanner. Motion was seconded by Ms. Robinson.

Name	Aye Nay
Mark Gluesing	Aye
Bob Dermody	Abstained
Nelson Hammer	Not Present (Connection Error)
Chad Reilly	Aye
Deborah Robinson	Aye
Steve Tanner	Aye

Motion to Adjourn:

Motion to adjourn the Design Review Board meeting was made by Ms. Robinson.

Motion was seconded by Mr. Reilly.

Meeting adjourned at 8:20 PM.

Name	Aye Nay
Mark Gluesing	Aye
Bob Dermody	Aye
Nelson Hammer	Not Present (Connection Error)
Chad Reilly	Aye
Deborah Robinson	Aye
Steve Tanner	Aye

<u>Design Review Board 2020 Meeting Schedule:</u>

August 24, 2020	Via Zoom
September 14, 2020	Via Zoom
October 5, 2020	Via Zoom
October 19, 2020	Via Zoom
November 2, 2020	Via Zoom
November 16, 2020	Via Zoom
December 7, 2020	Via Zoom
December 21, 2020	Via Zoom